

WHAT IS CLAIMED IS:

Sub  
Ab  
1. ~~A data transmission apparatus for transmitting~~  
data comprising a plurality of objects having  
respective priority, the apparatus comprising:

5        means for selecting an error-correction coding  
method for each of the plurality of objects based on  
the priority of each of the plurality of objects;

10       means for error-correction coding of each of the  
plurality of objects using the selected error-  
correction coding method; and

      means for multiplexing plurality of coded object  
data and transmitting multiplexed data through a  
transmission channel.

15       2. The data transmission apparatus according to  
claim 1, wherein the error-correction coding method is  
based on a plural-time transmission method and said  
selecting means determines the number of times of  
transmission in the plural-time transmission method  
based on the priority.

20       3. The data transmission apparatus according to  
claim 1, further comprising means for stopping at least  
one of error-correction coding, multiplexing the coded  
object data, and transmission of the multiplexed data  
based on the priority.

25       4. The data transmission apparatus according to  
claim 1, further comprising means for detecting a  
traffic quality of the transmission channel, and

005260" 7E789660

wherein said selecting means selects an error-correction coding method based on the priority of each object and the traffic quality.

5           5. The data transmission apparatus according to claim 4, wherein the error-correction coding method is based on a plural-time transmission method and said selecting means determines the number of times of transmission in the plural-time transmission method based on the priority and the traffic quality.

10           6. The data transmission apparatus according to claim 4, further comprising means for stopping at least one of error-correction coding, multiplexing the coded object data, and transmission of the multiplexed data based on the priority and the traffic quality.

15           7. A data reception apparatus for receiving coded transmission data comprising a plurality of coded object data, each object having a priority, the apparatus comprising:

20               means for receiving and demultiplexing the coded transmission data into the plurality of coded object data;

              means for detecting the priority of each object;  
and

25               means for error-correction decoding of each of the coded object data based on the priority detected by said detecting means.

8. The data reception apparatus according to

005260" 2E289960

claim 7, wherein the coded transmission data is based on a plural-time transmission coding method and said error-correction decoding means determines a value of the coded object data using a majority method based on the priority.

9. The data reception apparatus according to claim 7, further comprising means for stopping an operation of said error-correction decoding means based on the priority.

10. The data reception apparatus according to claim 7, further comprising means for detecting a traffic quality of a transmission channel for transmitting the coded object data, and wherein said error-correction decoding means error-correction decodes the coded object data based on the priority and the traffic quality detected by said detecting means.

11. The data reception apparatus according to claim 10, wherein the coded transmission data is based on a plural-time transmission coding method and said error-correction decoding means determines a value of the coded object data using a majority method based on the priority and the traffic quality.

12. The data reception apparatus according to claim 10, further comprising means for stopping an operation of said error-correction decoding means based on the priority and the traffic quality.

13. An object coding apparatus for transmitting

005260 7E28960

data formed of a plurality of object data and scene description data, each object having a priority, the scene description data indicating the priority of each object and how the object data are synthesized, the apparatus comprising:

means for determining error-correction coding methods for the plurality of object data respectively based on the priority;

means for error-correction coding of each of the plurality of object data using the determined error-correction coding methods;

means for error-correction coding of the scene description data using a predetermined error-correction coding method; and

means for multiplexing coded scene description data and a plurality of coded object data and transmitting multiplexed data.

14. An object coding/decoding system comprising:

the object coding apparatus according to claim 13;

and

an object decoding apparatus comprising:

means for receiving and demultiplexing the multiplexed data from said object coding apparatus into the coded scene description data and the plurality of coded object data;

means for detecting the priority of each object from the coded scene description data;

005250" 7E789960

means for error-correction decoding of each of the plurality of coded object data using a decoding method based on the priority detected by said detecting means;

5 means for error-correction decoding of the coded scene description data using a predetermined decoding method; and

means for synthesizing plurality of decoded object data based on a decoded scene description.

10 15. A data transmission method for transmitting data comprising a plurality of objects having respective priority, the method comprising the following steps of:

15 selecting an error-correction coding method for each of the plurality of objects based on the priority of each of the plurality of objects;

error-correction coding of each of the plurality of objects using the selected error-correction coding method; and

20 multiplexing plurality of coded object data and transmitting multiplexed data through a transmission channel.

25 16. The data transmission method according to claim 15, wherein the error-correction coding method is based on a plural-time transmission method and said selecting step determines the number of times of transmission in the plural-time transmission method

005260 2E289960

based on the priority.

17. The data transmission method according to claim 15, further comprising a step of stopping at least one of error-correction coding, multiplexing the coded object data, and transmission of the multiplexed data based on the priority.

18. The data transmission method according to claim 15, further comprising a step of detecting a traffic quality of the transmission channel, and wherein said selecting step selects an error-correction coding method based on the priority of each object and the traffic quality.

19. The data transmission method according to claim 18, wherein the error-correction coding method is based on a plural-time transmission method and said selecting step determines the number of times of transmission in the plural-time transmission method based on the priority and the traffic quality.

20. The data transmission method according to claim 18, further comprising a step of stopping at least one of error-correction coding, multiplexing the coded object data, and transmission of the multiplexed data based on the priority and the traffic quality.

21. A data reception method for receiving coded transmission data comprising a plurality of coded object data, each object having a priority, the method comprising the following steps of:

00668737.092500

receiving and demultiplexing the coded transmission data into the plurality of coded object data;

detecting the priority of each object; and

5 error-correction decoding of each of the coded object data based on the priority detected by said detecting step.

22. The data reception method according to claim 21, wherein the coded transmission data is based on a plural-time transmission coding method and said error-correction decoding step determines a value of the coded object data using a majority method based on the priority.

23. The data reception method according to claim 21, further comprising a step of stopping an operation of said error-correction decoding step based on the priority.

24. The data reception method according to claim 21, further comprising a step of detecting a traffic quality of a transmission channel for transmitting the coded object data, and wherein said error-correction decoding step error-correction decodes the coded object data based on the priority and the traffic quality detected by said detecting step.

25. The data reception method according to claim 24, wherein the coded transmission data is based on a plural-time transmission coding method and said

005260" 2289960

error-correction decoding step determines a value of the coded object data using a majority method based on the priority and the traffic quality.

26. The data reception method according to claim 24, further comprising a step of stopping an operation of said error-correction decoding step based on the priority and the traffic quality.

27. An object coding method for transmitting data formed of a plurality of object data and scene description data, each object having a priority, the scene description data indicating the priority of each object and how the object data are synthesized, the method comprising the following steps of:

determining error-correction coding methods for the plurality of object data respectively based on the priority;

error-correction coding of each of the plurality of object data using the determined error-correction coding methods;

error-correction coding of the scene description data using a predetermined error-correction coding method; and

multiplexing coded scene description data and a plurality of coded object data and transmitting multiplexed data.

28. An object coding/decoding method comprising the following steps of:

005260" 2E289950



determining error-correction coding methods for the plurality of object data respectively based on the priority;

5 error-correction coding of each of the plurality of object data using the determined error-correction coding methods;

error-correction coding of the scene description data using a predetermined error-correction coding method;

10 multiplexing coded scene description data and a plurality of coded object data and transmitting multiplexed data;

receiving and demultiplexing the multiplexed data from said object coding apparatus into the coded scene description data and the plurality of coded object data;

15 detecting the priority of each object from the coded scene description data;

20 error-correction decoding of each of the plurality of coded object data using a decoding method based on the priority detected by said detecting step;

error-correction decoding of the coded scene description data using a predetermined decoding method; and

25 synthesizing plurality of decoded object data based on a decoded scene description.

005260" 7E289950